

North Carolina Housing Finance Agency: Policy Update 3.0

Physical Inspection Noncompliance Items

Effective January 1, 2024

IRS Noncompliance – not included in NSPIRE

- Egress (sleeping rooms):
 - At least 2 points of egress must be unblocked (bedroom entry door AND a window)
 - Window: the full window must be open. Nothing above the window sill or blocking ANY part of the glassed opening
 - Door: must open to 90 degrees minimum and latch
- Egress (living space & bathroom):
 - Only needs 1 point of egress (only the door counts as egress)
 - Door must open to 90 degrees minimum and latch
- Vacant Unit: must be rent ready within 30 days (no outstanding repairs or maintenance issues)
- Dryer Vents: bird cage type covers observed on outside dryer vents (building code violation)
- Accessibility: All amenities, common areas, and accessible units must be in compliance

State Noncompliance – not included in NSPIRE

- Market Appeal:
 - Indoor furniture observed outdoors (common areas and tenant patios)
 - Excessive trash/litter/tires/furniture observed throughout property
 - Cable/Telephone boxes: covers missing/exposed wires
 - Graffiti: More than 1 sq. ft & permanent OR Vulgar/gang related/threatening in ANY size
 - Non-working abandoned cars (wrecked, flat tires, safety concerns, used for storage)
 - Discarded smoking material in the mulch beds (potential fire hazard)
 - Vegetation:
 - Vegetation in unintended areas: nothing can touch roof/siding/mechanical equipment or other unintended surfaces.
 - Overgrown/excessive on fencing to where it affects curb appeal
 - Overgrown/excessive vegetation that blocks site exterior pole lighting
- Fencing:
 - playground fencing must work as intended
 - decorative/dumpster enclosures no more than 20% damage (of total fence coverage)
 - If sharp edges are observed, that will be noted as a health & safety violation
- Wasps nests in common areas or areas that are subject to regular human contact or passage
- Grease discarded on building components or in the landscape bedding around the building
- Parking Lot:
 - Pooling of oil observed
 - Damages that result in cracks/gap/spalling at parking lots/driveways/roads that are under the supervision of management can be considered trip hazard, as these areas can be used by pedestrians
- All exterior electrical boxes/panels must be zip tied
- Retaining Walls: any size wall showing any sign of rot/deterioration/missing wall components (not landscape borders less than 1ft)
- Erosion/Ponding:
 - Large areas where soil has been displaced due to storm water
 - Ponding where water is within 25 ft of building and no rain within 48 hours
 - Any exposed footings on walkways and/or buildings (NSPIRE only cites when the rebar is exposed)
- Roof: observed 2 or more missing shingles in a single area of a roof
- Flammable Material: no gas/lighter fluid/self-starter charcoal can be in an enclosed space that is in or attached to a living space (NSPIRE only counts if within 3 ft of heat source)
- Tires and/or car parts observed in the unit and/or storage
- Broken water heater pan or plug missing
- Trip hazard: including non-temporary cable/power cords, torn/lifted carpet, damaged thresholds
- Unintended Drop-Offs: any sudden drop off a walkway greater than ¾"
- Range:
 - Appliance control display settings are faded/illegible
 - Only oven safe items can be stored inside oven
 - Silicone/foil/disposable liners under burners or oven elements are not acceptable
- Kitchen Cabinetry: more than 20% of cabinetry is damaged (NSPIRE allows for 50%)
- Kitchen Ventilation: self-circulating and vented range hoods will be treated as equal (NSPIRE does not inspect self-circulating)
- Any unit or room that is locked and not inspectable – regardless of the reason
- Evidence of feces or urine in unit or indoor common areas (pet or human)
- Tub: faucet or spout pulled away from wall (allows for water penetration)

- Drug Paraphernalia of any kind observed
- Open flames left unattended (Such as candles) and/or incense being burned in/on anything other than an incense burner (example: in light switches, walls, slats of doors, laying on counter tops)
- Repairs must be made with like material and in a professional manner (in all inspectable areas)
- Tenant-provided fire extinguishers must remain charged and in operable condition
- Vacant Units: Utilities are not turned on during the inspection
- Vacant Units: units vacant over 6 months (rent ready or not) with no move-in scheduled
- Walls: Peeling/missing paint (regardless of year built) larger than 1 sq ft in a single room
- Electrical Panel: No items can be covering/blocking
- Sprinkler System: Any foreign object observed on the sprinkler head (NSPIRE allows for 75% coverage)
- Doors:
 - Interior Doors: any hole larger than 2" (golf ball size)
 - Storm Doors: inspectable and must function as intended (if screen included, will inspect like a window screen per NSPIRE)
- QAP Requirements (not all inclusive, only listing most common findings)
 - Smoking: All properties awarded credits 2015 or later, smoking is not allowed within 25 ft of building
 - Any time oxygen is available for use – smoking is prohibited (regardless of PIS date)
 - Roll in showers: All properties awarded credits 2006 or later, management is required to furnish a weighted shower curtain
 - Fire Protection: All properties awarded credits 2007 or later, management is required to furnish fire stops OR fire extinguishers in each unit
 - Amenities: Any amenity listed in the TC application that is offline, Unfurnished or not used for designated purposes
- Required Management Documents:
 - Tenant Selection Plan (bulletin board & RCRS)
 - Affirmative Fair Housing Marketing Plan (bulletin board & RCRS)
 - VAWA Emergency Transfer Plan (bulletin board only)
 - Blank Lease (RCRS for RPP properties)
 - Management Plan (approved in RCRS only for RPP)
 - 8609s with Part II completed and signed by the owner (uploaded into RCRS only)
 - Tenant Grievance Procedures (bulletin board & RCRS- CHDO properties)

NSPIRE Items – Grace Period until October 1, 2025

- GFCI: Required in all “wet” locations (interior and exterior) within 6 feet of a water source. If a major appliance outlet in “wet” area, the outlet must be GFCI protected or a single use outlet
- Guardrails: Required for elevated heights of 30 inches or more
- ****NEW**** Fire Labeled Doors (all defects)

NSPIRE Items – No longer considered Grace Period and now considered NONCOMPLIANCE as of 1/1/2025

- Bathroom Ventilation: All bathrooms must have a means of ventilation (Either mechanical or a window)
- Smoke Detectors: All smoke detectors must be hard wired OR have a 10-year tamper proof battery
- Water Heaters: new requirement is for TPR piping to be between 2” and 6” from the floor/pan and be made of “approved” material

*HUD NSPIRE Resources: https://www.hud.gov/program_offices/public_indian_housing/reac/nspire